



STOVAX

Stove Care

and maintenance accessories



Cleaning & Maintenance Products

Slate Dressing (500ml)

Code: 4109-1



Stovax Stove Gloves

Code: 4008

Materials: Cotton & Polyester, 38cm length. Suitable for contact heat with temperature rating up to 250°C.



Fire Cement (500g Tub)

Code: 2020-1

Black, fire resistant up to 1250°C.



Protector (1kg Tub)

Code: 7025-1

Reduces the build-up of creosote in chimneys caused by burning wood as well as reducing the risk of chimney fires.



Protector Sachets (12 x 40g)

Code: 7002-1



Carbon Monoxide Detector

Code: 3045

Easy to install & no maintenance required. Battery pre-fitted and guaranteed for 6 years.



Stove Glass Cleaner Spray

Code: 4103-1

Suitable for all stove glass.



Traditional Black Grate Polish

Code: 4110-1

Wax-based graphite polish, giving a brilliant silver-black finish to cast iron stoves and fireplaces (75ml).



Before

After

Colloidal Black Stove Dressing

Code: 7000-1

Water-based graphite coating for matt black stoves and fireplaces (100ml).



Before

After

Stove Paint



Product Code	Colour	Qty	Size	Suitable for	Serial Numbers
2010	Matt Black	1	400ml	Brunel	All
2056-1	Metallic Black	1	400ml	Brunel	All
2010	Matt Black	1	400ml	Huntingdon	All
2055	Matt Ivory	1	150ml	Huntingdon	All
2019-1	Matt Black	1	400ml	Regency	All
2019-1	Matt Black	1	400ml	Sheraton	All
2019	Matt Black	12	400ml	Sheraton	All
2019-1	Matt Black	1	400ml	Stockton	CSTN (or) ASTN 10000 - 29999
2019-6	Matt Black	6	400ml	Stockton	CSTN (or) ASTN 10000 - 29999
2019	Matt Black	12	400ml	Stockton	CSTN (or) ASTN 10000 - 29999
2105-1	Matt Black	1	400ml	Stockton	CSTN (or) ASTN 30000 onwards
RVAC011	Metallic Black	1	150ml	View	FWW 10000 - 29999
2000-1	Metallic Black	1	400ml	View	CVW 10000 - 29999
2105-1	Matt Black	1	400ml	View	CVW30001 (or) ASTN30001 onwards
2105-1	Matt Black	1	400ml	Vogue Small & Medium	All
2010	Matt Black	1	400ml	Vogue Midi	Prefixed DVG or CVG 10000 to 29999
2105-1	Matt Black	1	400ml	Vogue Midi	Prefixed DVG or CVG 30000 onwards
RVAC011	Metallic Black	1	150ml	Vision	All
2019-1	Matt Black	1	400ml	Riva Plus	FPR 10000 - 29999
2019-6	Matt Black	6	400ml	Riva Plus	FPR 10000 - 29999
2019	Matt Black	12	400ml	Riva Plus	FPR 10000 - 29999
2105-1	Matt Black	1	400ml	Riva Plus	FPR 3000 onwards
RVAC011	Metallic Black	1	150ml	Riva Cassette & Freestanding	All
RVAC010	Storm Metallic	1	150ml	Riva Cassette & Freestanding	All
RVAC011	Metallic Black	1	150ml	Studio 500, 1, 2 & 3	All
RVAC011	Metallic Black	1	150ml	Elise Cassette & Freestanding	All
2059-1	Matt White	1	400ml	-	-
2067-1	Anthracite	1	400ml	-	-

Dovre Aerosol Spray Paint

DV-LAKTB	Anthracite	1	400ml	Dovre - 225, 525, Vintage & Astroline	All
DV-LAKTBZ	Matt Black	1	400ml	Dovre - 250, 424, 500, 640, 760, Tai & Sense	All

Nordpeis Aerosol Spray Paint

NP-00001-102-400	Metallic Black	1	400ml	Nordpeis Uno & Duo Stoves	All
NP-00001-105	Black	1	150ml	Nordpeis (Excluding Uno & Duo)	All

Yeoman Aerosol Spray Paint

2105-1	Matt Black	1	400ml	Yeoman	AYM30000 onwards
RVAC011	Metallic Black	1	150ml	Yeoman CL	Prefixed CCL or AYM or DYM 00001 - 04999
2000-1	Metallic Black	1	400ml	Yeoman CL	Prefixed CCL or AYM or DYM 05000 to CCL29999
2105-1	Matt Black	1	400ml	Yeoman CL	Prefixed CCL or AYM or DYM 30000 onwards


Rope Seals and Tapes

Fibreglass Insulation Tape



Code	Description	Measurements
4254	White Tape	40mm x 2mm x 25m
4955	Black Tape	10mm x 2mm x 25m
4957	Black Tape	15mm x 2mm x 25m
4299	Self-adhesive White Tape	25mm x 3mm x 25m
4197	Self-adhesive White Tape	40mm x 2mm x 25m
4953	Self-adhesive Black Tape	10mm x 2mm x 25m
4954	Self-adhesive Black Tape	15mm x 2mm x 25m
4997	Self-adhesive Black Tape	20mm x 2mm x 25m

Ceramic Fibre Sealing Strip



Code	Description	Measurements
4093	White - Rolls	10mm x 4mm x 10m
4471	White - Rolls	6mm x 3mm x 10m
7022	White - Packs	10mm x 4mm x 2m
7023	White - Packs	6mm x 3mm x 2m

Thermic Seal



Code	Size & Quantity
5037-1	500ml x 1

Fibreglass Rope Seal



Code	Description	Measurements
4660	Standard Rope Seal - White	3mm Ø x 25m
4693	Standard Rope Seal - White	5mm Ø x 25m
4019	Standard Rope Seal - White	6mm Ø x 25m
4970	Standard Rope Seal - White	8mm Ø x 25m
4020	Standard Rope Seal - White	9mm Ø x 25m
4991	Standard Rope Seal - White	10mm Ø x 25m
4021	Standard Rope Seal - White	12mm Ø x 25m
4094	Standard Rope Seal - White	25mm Ø x 10m
4096	Standard Rope Seal - White	16mm Ø x 20m
4959	Soft Rope Seal - White	4mm Ø x 25m
4961	Soft Rope Seal - White	6mm Ø x 25m
4963	Soft Rope Seal - White	8mm Ø x 25m
4965	Soft Rope Seal - White	10mm Ø x 25m
4974	Standard Rope Seal - Black	3mm Ø x 25m
4977	Standard Rope Seal - Black	6mm Ø x 25m
4980	Standard Rope Seal - Black	8mm Ø x 25m
4994	Standard Rope Seal - Black	10mm Ø x 25m
4983	Standard Rope Seal - Black	12mm Ø x 25m
4671	Standard Rope Seal - Black	16mm Ø x 20m
4692	Standard Rope Seal - Black	18mm Ø x 20m
4672	Standard Rope Seal - Black	25mm Ø x 10m
4670	Soft Rope Seal - Black	14mm Ø x 25m
4198	Soft Rope Seal - Black	16mm Ø x 25m
4200	Soft Rope Seal - Black	13mm Ø x 25m
4203	Soft Rope Seal - Black	16mm x 10mm x 25m*
4205	Soft Rope Seal - Black	10mm x 25mm x 25m*

*Square Section Rope • "P" profile rope seal pack

Fibreglass Insulation Tape Pack



Code	Description	Measurements
4951	Black Tape	10mm x 2m
4952	Black Tape	15mm x 2m
4949	Self-adhesive Black Tape	10mm x 2mm x 2m
4950	Self-adhesive Black Tape	15mm x 2mm x 2m
4998	Self-adhesive Black Tape	20mm x 2mm x 2m
5705	Self-adhesive Black Tape	40mm x 2mm x 3.4m

Rope Seals, Thermometers & Dampers

Rope Seal Packs (Includes flue & rope seal end tape)



Code	Description	Measurements
7019	Standard Rope Seal - White	3mm Ø x 2m
7020	Standard Rope Seal - White	6mm Ø x 2m
4971	Standard Rope Seal - White	8mm Ø x 2m
7021	Standard Rope Seal - White	9mm Ø x 2m
4992	Standard Rope Seal - White	10mm Ø x 2m
7024	Standard Rope Seal - White	12mm Ø x 2m
5001	Standard Rope Seal - White	16mm Ø x 2m
4945	Soft Rope Seal - White	4mm Ø x 2m
4946	Soft Rope Seal - White	6mm Ø x 2m
4947	Soft Rope Seal - White	8mm Ø x 2m
4948	Soft Rope Seal - White	10mm Ø x 2m
4975	Standard Rope Seal - Black	3mm Ø x 2m
4978	Standard Rope Seal - Black	6mm Ø x 2m
4981	Standard Rope Seal - Black	8mm Ø x 2m
4995	Standard Rope Seal - Black	10mm Ø x 2m
4984	Standard Rope Seal - Black	12mm Ø x 2m
4999	Standard Rope Seal - Black	14mm Ø x 2m
5000	Soft Rope Seal - Black	14mm Ø x 2m
5700	Soft Rope Seal - Black	13mm Ø x 2m
5701	Soft Rope Seal - Black	16mm Ø x 2m
5702	Soft Rope Seal - Black	13mm Ø x 2.6m
5703	Soft Rope Seal - Black	10mm x 750mm*
5704	Soft Rope Seal - Black	13mm Ø x 3.5m

*'P' profile rope seal pack



How to re-rope your door seal video

A thermal rope is used to provide a heat resistant air tight seal on the appliance doors and also is often used to provide a seal for the stove or fire glass, essential to ensure your appliance works as intended and with optimum efficiency. Stovax have created a useful step by step video to help lead you through the simple maintenance task of re-opening a door seal, simply visit www.stovax.tv/ropeseal.



To allow your rope adhesive time to properly cure, leave it a minimum of 12 hours before burning your appliance.



Stovax Vogue Midi Woodburning Stove, shown with optional plinth

*Stovax Stockton 5 stove with Curved Log Holder (3400)
and Flue Pipe Thermometer (3046)*



Stove Accessories

Flue Dampers



Code	Width
3068	100mm (4")
3060	125mm (5")
3061	150mm (6")
3062	175mm (7")
3063	200mm (8")

Magnetic Flue Pipe Thermometer



Code
3046

Milner Grates



Code	GW	GD
4 368	385mm	260mm
4908	385mm	244mm

Black Log Holders



Code	Width	Height	Depth
3404 (Highline)	300mm (12")	1000mm (39 ³ / ₈ ")	300mm (12")
3403 (Medium)	300mm (12")	750mm (29 ¹ / ₂ ")	300mm (12")
3402 (Small)	300mm (12")	500mm (19 ³ / ₈ ")	300mm (12")

Curved Black Log Holder - Small



Code	Width	Height	Depth
3400	444mm (17 ¹ / ₂ ")	209mm (8 ¹ / ₄ ")	300mm (12")



Replacement Stove Glass

We stock replacement glass for the full range of Stovax and Gazco stoves alongside a wide selection of stove glass for other branded models. Please refer to the Stovax Accessories price list for details.

Alternatively you can visit stovaxspares.com or gazcospares.com

5mm Ceramic Glass Panels

Also available from Stovax...



Classic Fireplaces for all interiors

Whether you want to restore a period house to its former glory, or create an authentic look for a modern home, let Stovax's Classic Fireplaces inspire you.

Extensively finished to display a wealth of intricate detail, we pride ourselves on the fact that each remains an individual masterpiece, hand-cast to the same specification as Georgian and Victorian originals.

For the full range of products available visit our website at stovax.com/classic



Professional XQ™ Chimney Systems

Stovax offers a comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ™ collection.

Crafted from high grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within. The Professional XQ™ range provides an attractive versatile and reliable solution for your flue system.

To discover the complete Professional XQ™ range, visit our website at:

stovax.com/chimneysystems



Woodburning & Multi-Fuel Stoves & Fires

A Stovax stove embodies over 40 years of British design and engineering. Crafted to provide deep, warming heat, each stove brings character and individuality.

With both traditional and contemporary models, our obsessive attention to detail ensures our stoves are as refined outside as they are innovative on the inside.

To view our complete range of stoves, visit stovax.com



STOVAX

stovax.com



Stovax Ltd Spitfire Avenue, Skypark, Clyst Honiton, Exeter, EX5 2FR

Trade Sales: 01392 474000 • info@stovax.com

Export Sales: +44 1392 261990 • exportsales@stovax.com



ACCE0824

